

SMART UND SWISS SEIT 1876

AS 1200 – Battery spray blower

# Never a dry leaf again: Spraying with even greater efficiency



## Air-supported spraying with «Accu-Power»

Vinicul

Air speed leve

ure..

The new technology from Birchmeier. A new dimension to plant protection: Spraying with pressure-controlled liquid supply in an air stream. A large spraying range can be achieved with pre-spraying and a variable air stream. A minimum loss of spray solution and a long reach is the result. The air stream also causes the targeted leaves to move, providing optimum wetting and penetration of foliage and shrubbery. The AS 1200, powered by an additional battery, is combined with a sprayer from the «Accu-Power» line. The spray blower is extremely powerful, easy to operate and impressively quiet.



## **Makes work easier**

With pressure-controlled pre-spraying and an adjustable air stream, the AS 1200 achieves a maximum liquid transportation over the required distance.

- Adjustable air stream
- Specified pre-spraying
- Configurable flow rate
- Evenly distributed droplet spectrum
- Optimum target penetration
- High level of target area efficiency
- Improved use of active ingredients

## Distance vs. air speed level





# Added value by combining with the «Accu-Power» line

The clever concept: the AS 1200 in combination with the existing Birchmeier battery sprayer for even greater benefit. The ideal duo for comfortable and power-saving work with greater freedom of movement.

## Powerful and quiet performance

- Up to 4 hours of rechargeable battery power
- Adjustable air speeds up to 65 m/s
- Additional power level
- Spray range up to 13 meters
- Low noise emission
- High energy efficiency





Powerful, zero emission and quiet! Birchmeier battery-powered sprayer technology is the most modern, most efficient and most powerful technology – designed and produced in Switzerland. www.birchmeier.com

## «Accu-Power» line

ACCU



## AS 1200 spray blower including battery, charger and battery carrier unit

battery backpack sprayer

## Spray period AS 1200



\* At intervals of 30 sec.

## **Technical Specifications**

Volume flow	Max. 1200 m <sup>3</sup> /h	
Blowing force	Max. 19 N	
Range	1 – 13 m	
Airspeed levels	1 – 5, plus turbo level (max.)	
Airspeed	Up to 65 m/s	
Pressure range	0.5 – 10 bar	
Battery	Li-Ion 25.2 V / 9.8 Ah (247 Wh)	
Battery runing time	0.15 - 3.5 h (depending on the level)	
Battery charging time	< 3 h	
Life span battery	approx. 500 charging cycles	
Weight	3.5 kg	
Dimension (L x W x H)	464 x 160 x 304 mm	

#### Your Birchmeier distributor

#### **Nozzle flow rates**

Nozzles		1 – 10 bar
	AITXA 8001 VK Art.No. 12049601	0.23 — 0.72 I/min
	AITXA 8002 VK Art.No. 12049701	0.46 – 1.44 l/min
	AITXA 8003 VK Art.No. 12049801	0.68 – 2.16 l/min

#### Must be combined with one of the Birchmeier «Accu-Power» line sprayers



**REC 15 backpack sprayer \*** Art.No. 11925001

\* Not included in scope of delivery



REA 15 backpack sprayer \* Art.No. 12014201



REX 15 backpack sprayer \* Art.No. 12019001

## BIRCHMEIER

Birchmeier Sprühtechnik AG Im Stetterfeld 1 5608 Stetten Schweiz Telefon + 41 56 485 81 81 Fax +41 56 485 81 82 www.birchmeier.com